EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"US 20060138697"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/04 12:04
S2	51	((CHRISTIAN) near2 (LORENZ)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:13
S3	43	((CHRISTIAN) near2 (LORENZ)).INV.	EPO; JPO; DERWENT	OR	ON	2008/12/04 12:13
S4	4	((WOLFRAM) near2 (HASERT)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:13
S5	5	((WOLFRAM) near2 (HASERT)).INV.	EPO; JPO; DERWENT	OR	ON	2008/12/04 12:14
S6	49	((JOHANNES) near2 (MEIWES)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:14
S7	57	((JOHANNES) near2 (MEIWES)).INV.	EPO; JPO; DERWENT	OR	ON	2008/12/04 12:14
S8	2	((WOLF-INGO) near2 (RATZEL)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:14
S9	6	((WOLF-INGO) near2 (RATZEL)).INV.	EPO; JPO; DERWENT	OR	ON	2008/12/04 12:14
S10	1	((JOCHEN) near2 (KAESSER)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:15
S11	3	((JOCHEN) near2 (KAESSER)).INV.	EPO; JPO; DERWENT	OR	ON	2008/12/04 12:15
S12	8	((ROLAND) near2 (SCHREIBER)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 12:15
S13	19	((ROLAND) near2 (SCHREIBER)).INV.	EPO; JPO; DERWENT	OR	ON	2008/12/04 12:15
S14	14094	(robert near2 bosch).as.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 13:15
S15	80178	(robert near2 bosch).as.	EPO; JPO; DERWENT	OR	ON	2008/12/04 13:15
S16	54	S14 and (throttle near2 valve) and (injection with mold$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 13:16
S17	13	S15 and (throttle near2 valve) and (injection with mold$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/04 13:16
S18	7	(("3960177") or ("4414170") or ("4702156") or ("5304336") or ("5340357") or ("5421718") or ("20030024576")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 13:23

S19	0	S18 and amorphous	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 13:48
S20	24	(throttle near2 valve) and (injection near2 mold$3) and (amorphous)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 13:49
S21	1	(throttle near2 valve) and (injection near2 mold$3) and (amorphous)	EPO; JPO; DERWENT	OR	ON	2008/12/04 13:51
S22	0	(valve near2 (flap butterfly)) and (injection near2 mold $3) and (amorphous)	EPO; JPO; DERWENT	OR	ON	2008/12/04 13:51
S23	63	(valve near2 (flap butterfly)) and (injection near2 mold $3) and (amorphous)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 13:51
S24	1	WO-0248586-$.did.	DERWENT	OR	ON	2008/12/04 13:56
S25	11	("3843088" | "4999142"). PN. OR ("5421718").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 14:34
S26	32	("3675888" | "3771764" | "3901964" | "3907959" | "4038358" | "4180542" | "4430285" | "4604254" | "4702156" | "4790973" | "5084223" | "5104606").PN. OR ("5304336").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 14:35
S27	512	(throttle near2 valve) and bushing and injection	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 14:45
S28	670	(throttle near2 valve) and bushing and (injection ner2 mold$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 14:45
S29	52	(throttle near2 valve) and bushing and (injection near2 mold$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 14:45
S30	18	("2586927" | "3318567" | "3537164" | "3750698" | "3804366" | "4038734" | "4243203" | "4786031" | "5177866" | "5275375" | "5503544" | "5531248" | "5666988" | "6354267" | "6598854").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 14:48
S31	1	("20080223450").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 14:51
S32	7	S14 and (throttle near2 valve) and (injection with mold$3) and bush$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 15:54

S33	13	("3940108" | "4604254" | "4740347" | "4774750" | "5223202" | "5304336" | "5409654" | "5672818" | "6288534" | "6400141" | "6451238" | "6581569" | "6622698").PN. OR ("6986860").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 16:36
S34	358	(264/264).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 16:51
S35	63	S34 and (injection with mold$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 16:52
S36	6	S35 and lubricant	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 16:54
S37	3	S34 and (two near2 (step stage) near2 injection)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 16:55
S38	1325	(two near2 (step stage) near2 injection)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 16:58
S39	104	S38 and lubricant	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 16:59
S40	35	S39 and amorphous	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 16:59
S41	1	("3947367").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 17:01
S42	530	(264/242).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 17:02
S43	78	S42 and (valve throttle butterfly flap)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 17:02
S44	51	S42 and lubricant	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 17:03
S45	19	(injection near2 mold$3) with (parting near2 agent)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 17:08
S46	1	("6630085").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/04 17:13
S47	1089	((two multi) near2 component) near2 injection with mold$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 17:18
S48	208	S47 and melting	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 17:18
S49	64	S48 and (amorphous crystalline)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 17:18
S50	87	(throttle near2 valve) and (injection near2 mold$3)	EPO; JPO; DERWENT	OR	ON	2009/01/26 15:44
S51	9	(overmold$3 ((two$1shot) with mold$3)) and ((laminat$4 bond$3) with (temperature))	EPO; JPO; DERWENT	OR	ON	2009/01/26 16:24

S52	606	(overmold$3 ((two$1shot) with mold$3)) and ((laminat $4 bond$3) with (temperature))	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 16:34
S53	0	(overmold$3 ((two$1shot) with mold$3)) and ((laminat $4 bond$3) with (temperature) with lubricant)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 16:34
S54	21	(overmold$3 ((two$1shot) with mold$3)) and ((laminat $4 bond$3) with lubricant)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 16:34
S55	14	(overmold$3 ((two$1shot) with mold$3)) and ((laminat $4 bond$3) with (temperature) with prevent)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 16:35
S56	1206	(overmold$3).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 16:37
S57	0	(overmold$3).ab. and (mlet with temperature)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 16:37
S58	57	(overmold$3).ab. and (melt with temperature)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 16:37
S59	8113	(integrally with molded with resin)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 17:01
S60	397	(integrally with molded with resin with bond$7)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 17:01
S61	1	("5693271").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/26 17:03
S62	1	("6119887").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/26 17:07
S63	23	("2931066" | "3301164" | "3756138" | "3785217" | "3828406" | "3978189" | "4060024").PN. OR ("4414170").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/26 17:28
S64	101	(throttle near2 valve) with (injection near2 mold$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/27 17:14
S65	14	("20060272615" | "20070012288" | "5304336" | "6408817" | "6488871" | "6701892" | "6903148" | "7069902" | "7089663" | "7093581" | "7107678" | "7107679" | "7107683" | "7152581").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/27 17:21
S66	32	("3675888" | "3771764" | "3901964" | "3907959" | "4038358" | "4180542" | "4430285" | "4604254" | "4702156" | "4790973" | "5084223" | "5104606").PN. OR ("5304336").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/27 17:23

S67	819	(throttle near2 valve) and (injection near2 mold$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/13 13:26
S68	153788	("264").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 13:27
S69	76	S68 and S67	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/13 13:27
S70	17	("20020163106" | "20050022365" | "20050022781" | "20050022786" | "20050022787" | "20050097743" | "20050097745" | "20050120556" | "3675888" | "4995445" | "5304336" | "5421718" | "5794591" | "6138988" | "6451238" | "6649111" | "6764062").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/13 13:32
S71	1	("5153052").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 13:39
S72	1	("5304336").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 13:52
S73	32	("3675888" | "3771764" | "3901964" | "3907959" | "4038358" | "4180542" | "4430285" | "4604254" | "4702156" | "4790973" | "5084223" | "5104606").PN. OR ("5304336").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/13 13:52
S74	31	("2774117" | "3426110" | "3498001" | "3660941" | "3827183" | "3962827" | "3979872" | "4072548" | "4078334" | "4084347" | "4123307" | "4284673" | "4419307" | "4478005" | "4483102" | "4570384" | "4686806" | "4765935" | "4956135" | "4965030" | "5327682" | "5380183").PN. OR ("5693271").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/13 20:12
S75	9	(remov$3 with release near3 coat$3 with (thermal heat heating burn$3 degrad$3)) and (injection near3 mold $3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/13 20:20
S76	360	(264/264).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/13 20:25
S77	4	S76 and (valve).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/13 20:25

S78	14	("3094376" | "3202749" | "3807692" | "4180542" | "4257575").PN. OR ("4430285").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/13 20:27
S79	153788	("264").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/14 17:52
S80	359	S79 and ((bush bushing bearing) with (shaft axle rod) and (valve) and (injection near2 mold$3))	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/14 17:52
S81	49	S79 and ((bush bushing bearing) with (shaft axle rod) and (valve).ab. and (injection near2 mold$3))	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/14 17:52
S82	1	("20030024576").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/14 17:56
S83	13	(overmold$3 two$1shot (two near2 shot)) and (injection near3 mold$3) and (coating with prevent$3 with bond$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/14 18:10
S84	1770	(264/259).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/14 18:22
S85	1665	(264/328.8,328.12).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/14 18:23
S86	760	(S84 S85) and valve	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/14 18:25
S87	213	S86 and (release lubricant)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/14 18:25
S88	27	(S84 S85) and ((butterfly throttle) near2 valve)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/14 18:26
S89	1	("20030024576").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/14 19:17

2/14/2009 8:52:47 PM
C:\ Documents and Settings\ ghauth\ My Documents\ EAST\ Workspaces\ 10562909.wsp